



Europäisches Patentamt
European Patent Office
Office européen des brevets



(11) **EP 1 321 043 A1**

(12)

EUROPEAN PATENT APPLICATION

(43) Date of publication:
25.06.2003 Bulletin 2003/26

(51) Int Cl.7: **A23G 9/02**

(21) Application number: **02258414.8**

(22) Date of filing: **05.12.2002**

(84) Designated Contracting States:
**AT BE BG CH CY CZ DE DK EE ES FI FR GB GR
IE IT LI LU MC NL PT SE SI SK TR**
Designated Extension States:
AL LT LV MK RO

(30) Priority: **21.12.2001 EP 01310838**

(71) Applicants:
• **UNILEVER PLC**
London EC4P 4BQ (GB)
Designated Contracting States:
CY GB IE
• **UNILEVER N.V.**
3013 AL Rotterdam (NL)
Designated Contracting States:
**AT BE BG CH LI CZ DE DK EE ES FI FR GR IT LU
MC NL PT SE SI SK TR**

(72) Inventors:
• **Malone, Mark Emmett**
Sharnbrook, Bedford MK44 1LQ (GB)
• **Underdown, Jeffrey**
Sharnbrook, Bedford MK44 1LQ (GB)
• **Wix, Loyd**
Sharnbrook, Bedford MK44 1LQ (GB)

(74) Representative: **Hugot, Alain et al**
Unilever plc,
Patent Division,
Colworth House
Sharnbrook, Bedford MK44 1LQ (GB)

(54) **Frozen aerated confection**

(57) Frozen aerated confection having an overrun of above 80% and below 250%, and containing less than 0.5% w/w glycerol, freezing point depressants in an amount of between 25 % and 37 % w/w, and between

2 and 12% fat, wherein the freezing point depressants have a number average molecular weight $\langle M \rangle_n$ of less than 300 have a soft structure when eaten at -18°C.

EP 1 321 043 A1

Description**Field of the invention**

5 [0001] The present invention relates to a frozen aerated confection which is soft at -18°C and which contains less than 0.5 % (w/w) glycerol.

Background of the invention

10 [0002] Trying to produce soft ice creams at -18°C has been the subject of many attempts which are all linked to the use of freezing point depressant compounds which make the product 'softer' by reducing the ice content of the product. GB 2019187 describes various 'soft' ice creams containing sugars and sugar alcohols having a molecular weight of less than 600. More particularly it describes a frozen aerated product, with an overrun of at least 140%, containing glycerol in an amount of 1 to 5%, sorbitol, fructose and invert sugar. GB 2019187 also indicates that as long as those
15 low molecular weight sugars are present in the required quantities, the presence of higher molecular weight sugars has no impact on the 'softness' of the end product.

[0003] In general, these soft compositions present major drawbacks. First of all, owing to the sugars which are used, these products are extremely sweet and require the use of additives to suppress sweetness and/or, the use of very high overrun, and/or the use of significant amounts of glycerol which does not significantly contribute to the sweet taste but which generates a very noticeable off taste which consumers do not like.
20

[0004] Secondly, in order to try and quantify the softness of the ice cream, GB2019187 uses an Instron test, but it is submitted that this test does not really reproduce the mechanisms which take place in the mouth of a consumer having such an ice cream. It is particularly presented that compositions according to GB2019187 containing high molecular weight sugars are not satisfactory in terms of softness, nevertheless, when tested on Instron according to GB
25 2019187 they are fully within the teaching of GB 2019187. Therefore, GB 2019187 does not appear to fully resolve the single problem of producing a soft ice cream at typical freezer temperatures eg -18°C or below.

[0005] Therefore, the past attempts to produce ice creams to be consumed at typical freezer temperatures eg -18°C and having a normal overrun while not containing noticeable amounts of glycerol and not exhibiting a sweet taste while having organoleptic characteristics similar to soft ice creams which are typically consumed at temperatures of -8°C or warmer have not been successful.
30

[0006] There is thus a need for frozen aerated confections which will satisfy these criteria.

[0007] It has now be found that at a given ice content, it is possible to make the product softer by carefully selecting the sugars and particularly by avoiding high molecular weight sugars even in small quantities. It has also been found that, by carefully selecting the sugars, it is possible to make a remarkably soft product without having to use glycerol
35 and without having to use additives to suppress sweetness. It has also been found that, with these new formulations, high overruns, in order to mask the sweetness, are no longer necessary.

Tests and definitions**Average molecular weight**

40 [0008] For the purposes of this patent, the average molecular weight for a mixture of freezing point depressants (fdps) is defined by the number average molecular weight $\langle M \rangle_n$ shown in the equation below. Where w_i is the mass of species i , M_i is the molar mass of species i and N_i is the number of moles of species i of molar mass M_i .

45

$$\langle M \rangle_n = \frac{\sum w_i}{\sum (w_i / M_i)} = \frac{\sum N_i M_i}{\sum N_i}$$

50

Freezing point depressants

55

[0009] Freezing point depressants (fpds) as defined in this invention consist of:

- monosaccharides and disaccharides

EP 1 321 043 A1

- Oligosaccharides containing from 3 to ten monosaccharide units joined in glycosidic linkage.
- Corn syrups with a dextrose equivalent (DE) of greater than 20 preferably > 40 and more preferably > 60. Corn syrups are complex multi-component sugar mixtures and the dextrose equivalent is a common industrial means of classification. Since they are complex mixtures their number average molecular weight $\langle M \rangle_n$ can be calculated from the equation below. (Journal of Food Engineering, 33 (1997) 221-226)

$$DE = \frac{18016}{\langle M \rangle_n}$$

- erythritol arabitol, xylitol, sorbitol, mannitol, lactitol and maltitol.

Definition of overrun.

[0010] Overrun is defined by the following equation

$$OR = \frac{\text{volume..of..ice..cream} - \text{volume..of..premix..at..ambient.temp}}{\text{volume..of..premix..at..ambient..temp}} \times 100$$

Brief description of the invention

[0011] It is the object of the present invention to provide a frozen aerated confection having an overrun of above 80% and below 250%; preferably above 100%, containing;

- less than 0.5% w/w glycerol
- freezing point depressants in an amount above 25 % w/w and under 37 % w/w, preferably above 26% w/w, more preferably above 27% w/w, and
- between 0 and 15% w/w fat

wherein the freezing point depressants have a number average molecular weight $\langle M \rangle_n$ of less than 300.

[0012] Preferably, the frozen aerated confection according to the invention contains at least 2% w/w fat.

[0013] Preferably the frozen aerated confection according to the invention contains less than 12% w/w fat, more preferably between 4 and 10% w/w.

[0014] Preferably the freezing point depressants have a number average molecular weight $\langle M \rangle_n$ below 275 and even more preferably below 250. Even more preferably, the freezing point depressants have a number average molecular weight $\langle M \rangle_n$ below 230.

[0015] The freezing point depressants are constituted at a level of at least 98% (w/w) of mono, di and oligosaccharides. More preferably, since fructose delivers a very sweet taste, the frozen aerated confection contains less than 5% w/w fructose, even more preferably less than 2.5% w/w fructose.

[0016] Preferably also the frozen aerated confection according to the invention contains less than 0.25% glycerol, even more preferably less than 0.1%. Preferably also, the frozen aerated confection according to the invention contains less than 10% w/w sorbitol, more preferably less than 5% w/w sorbitol.

[0017] Preferably also, the frozen aerated confection according to the invention contains more than 2% and less than 8% w/w proteins, preferably less than 6% w/w since it has been found that too high a protein content leads to a chalky, cheesy texture which should be avoided.

[0018] In a preferred embodiment of the invention the frozen aerated product has an overrun of less than 150%, more preferably less than 140%.

[0019] In another preferred embodiment of the invention the frozen aerated product has an overrun of more than 150%, more preferably more than 170%.

Detailed description of the invention

[0020] The present invention will be further described in the following examples wherein, unless indicated otherwise, the percentages are in weight by weight (w/w).

[0021] It should be noted that in the examples below the SMP (skimmed milk powder) is comprised of 50% (w/w) lactose and this needs to be taken into account when calculating the total amount of freezing point depressants and the number average molecular weight $\langle M \rangle_n$. Similarly, ingredients such as cocoa powder, whey concentrate, chocolate, fruit puree or juice, malt extracts also contain freezing point depressants that contribute to $\langle M \rangle_n$.

EP 1 321 043 A1

[0022] Various ice creams were formulated and produced as follows and according to the following processing conditions:

[0023] Mixing - all ingredients are combined in an agitated heated mix tank. Once all ingredients have been blended together, the mixture is subjected to high shear mixing at a temperature of at least 65°C for 2 minutes in order to hydrate the stabilisers. Excessive temperature should however be avoided to prevent damage to heat labile components and the formation of cooked off flavours.

[0024] Homogenisation - the mix is then subjected to a homogenisation stage to reduce the bulk of the fat droplets to below 1µm. This is accomplished by homogenising the mixture using a valve homogeniser operating at a pressure of 150bar at a typical temperature of 70°C.

[0025] Pasteurisation - to conform to public health requirements the mix is subjected to pasteurisation treatment. The mix is heated to a temperature of 83°C and held for 20 seconds to achieve satisfactory treatment. The pasteurised mix is then rapidly cooled to chill temperatures, typically 4°C.

[0026] Ageing - The mix is held at chill temperature, typically 4°C.

[0027] The formulations of examples 7 to 12 were frozen using typical ice cream continuous freezers known as votators or scraped surface heat exchangers. These devices serve to freeze the mix and incorporate sufficient air to deliver the desired overrun. Although such devices usually deliver frozen ice cream at temperatures of -5°C to -7°C, the high levels of freezing point depressors in the formulations within this invention meant that the ice creams are typically frozen down to temperatures of -10 to -13°C.

[0028] Following freezing in a votator the ice cream is subjected to hardening process that reduces the temperature of the ice cream close to the final storage temperature.

[0029] Formulations of examples 1 to 6 were transferred from the votator to a cold extrusion device such as a single screw extruder where the ice cream can be further cooled under shear. Due to high levels of freezing point depressors the ice cream formulations disclosed in this invention will leave the cold extrusion device at temperatures of -20°C or lower.

| Example | 1 | 2 | 3 | 4 | 5 | 6 |
|-------------------------------|------------|------------|------------|------------|------------|------------|
| | % (w/w) | % (w/w) | % (w/w) | % (w/w) | % (w/w) | % (w/w) |
| SMP (Skimmed Milk Powder) | 10 | 10 | 10 | 10 | 10 | 10 |
| Butterfat | 10 | 10 | 5 | 5 | 10 | 5 |
| MGP (mono glyceryl palmitate) | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 |
| LBG (locust bean gum) | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| Dextrose | 15.2 | 15.2 | 17.3 | 15.3 | 21.7 | 17.3 |
| Sucrose | 7.6 | | 8.65 | 7.65 | | |
| Corn syrup DE=63 83%solids | | 9.7 | | | 5 | 11 |
| Water | 56.6859 | 54.5859 | 58.5359 | 61.5359 | 52.7859 | 56.1859 |
| Flavour | 0.0141 | 0.0141 | 0.0141 | 0.0141 | 0.0141 | 0.0141 |
| Average molecular weight | 229 | 219 | 227 | 229 | 206 | 220 |
| Overrun | 135% | 135% | 135% | 135% | 135% | 135% |

| Example | 7 | 8 | 9 | 10 |
|------------------|--------|--------|--------|--------|
| | %(w/w) | %(w/w) | %(w/w) | %(w/w) |
| Butter fat | 4 | 4 | 4 | 10 |
| SMP | 8 | 8 | 8 | 10 |
| MGP | 0.15 | 0.15 | 0.15 | 0.3 |
| Iota Carrageenan | 0.2 | 0.2 | 0.2 | |
| Vanilla | | | | 0.0141 |

EP 1 321 043 A1

(continued)

| Example | 7 | 8 | 9 | 10 |
|--------------------------|--------|--------|--------|--------|
| | %(w/w) | %(w/w) | %(w/w) | %(w/w) |
| Vanillin | 0.01 | 0.01 | 0.01 | 0.01 |
| Sucrose | 6.5 | 8.125 | 5.0 | 17.8 |
| Lactose | 3.5 | 4.375 | | |
| Dextrose | 15.4 | 19.715 | 19.375 | 8.9 |
| Water | 62.04 | 55.22 | 63.065 | 52.79 |
| LBG | 0.2 | 0.2 | 0.2 | 0.2 |
| Average Molecular weight | 233 | 230 | 212 | 273 |
| Overrun | 100% | 100% | 135% | 135% |

| Example | 11 |
|--------------------------|--------|
| | %(w/w) |
| Coconut oil | 7.0 |
| Chocolate | 2.0 |
| SMP | 3.74 |
| Cocoa powder | 7.0 |
| Whey Conc. powder | 3.84 |
| Lactose | 4.4 |
| Dextrose | 23.0 |
| Sucrose | 3.0 |
| LBG | 0.3 |
| MGP | 0.2 |
| Colour | 0.4 |
| Water | 45.12 |
| Average Molecular weight | 216 |
| Overrun | 200% |

| Example | 12 | 13 | 14 |
|------------------|--------|--------|--------|
| | %(w/w) | %(w/w) | %(w/w) |
| Butter fat | 4 | 4 | 4 |
| SMP | 8 | 8 | 8 |
| MGP | 0.15 | 0.15 | 0.15 |
| Iota Carrageenan | 0.2 | 0.2 | 0.2 |
| Vanillin | 0.01 | 0.01 | 0.01 |
| Sucrose | 15.5 | 11.5 | 19.27 |

(continued)

| Example | 12 | 13 | 14 |
|--------------------------|--------|--------|--------|
| | %(w/w) | %(w/w) | %(w/w) |
| Corn Syrup DE40 | 14 | 10.35 | 17.4 |
| Water | 57.94 | 65.6 | 50.77 |
| LBG | 0.2 | 0.2 | 0.2 |
| Average Molecular weight | 380 | 379 | 381 |
| Overrun | 100% | 100% | 100% |

[0030] Examples 1-11 were considered to be soft and comparable to artisanal soft serve ice creams whereas comparative examples 12-14 were perceived to be much firmer.

Claims

1. Frozen aerated confection having an overrun of above 80% and below 250%, containing;
 - less than 0.5% w/w glycerol
 - freezing point depressants in an amount above 25 % w/w and below 37 % w/w, and
 - between 0 and 15% fat,
 wherein the freezing point depressants have a number average molecular weight $\langle M \rangle_n$ of less than 300.
2. Frozen aerated confection according to claim 1 containing between 2% and 12% fat.
3. Frozen aerated confection according to claim 1 or 2 wherein the freezing point depressants have a number average molecular weight $\langle M \rangle_n$ below 275.
4. Frozen aerated confection according to claim 3 wherein the freezing point depressants are constituted at a level of at least 98% (w/w) of mono, di and oligosaccharides.
5. Frozen aerated confection according to claim 4 containing less than 5 % w/w fructose.
6. Frozen aerated confection according to claim 1 containing less than 0.25% (w/w) glycerol, preferably less than 0.1% (w/w).
7. Frozen aerated confection according to claims 1 to 6 containing more than 2% and less than 8% proteins.
8. Frozen aerated product according to claims 1 to 6 having an overrun of less than 150%, preferably less than 140%.
9. Frozen aerated product according to claims 1 to 6 having an overrun of more than 150%, preferably more than 170%.



European Patent
Office

EUROPEAN SEARCH REPORT

Application Number
EP 02 25 8414

| DOCUMENTS CONSIDERED TO BE RELEVANT | | | |
|--|--|--|--|
| Category | Citation of document with indication, where appropriate, of relevant passages | Relevant to claim | CLASSIFICATION OF THE APPLICATION (Int.Cl.7) |
| X | US 4 244 977 A (KAHN MARVIN L ET AL) 13 January 1981 (1981-01-13) * column 9, line 27,28 * * column 12, line 61-68; example * | 1-9 | A23G9/02 |
| D,X | GB 2 019 187 A (UNILEVER LTD) 31 October 1979 (1979-10-31) * page 1, line 34-36; example 5 * * abstract * | 1-9 | |
| X | EP 0 941 668 A (NIKKEN CHEMICALS CO LTD) 15 September 1999 (1999-09-15) * paragraphs '0035!-'0043!', '0091!', '0130!'; claims * * page 8 * | 1-9 | |
| X | US 4 346 120 A (MORLEY ROBERT G ET AL) 24 August 1982 (1982-08-24) * column 7, line 43-45; example 1 * | 1-9 | |
| X | US 4 376 791 A (HOLBROOK JAMES L ET AL) 15 March 1983 (1983-03-15) * column 3, line 53-62; claims; examples * | 1-9 | TECHNICAL FIELDS SEARCHED (Int.Cl.7) |
| A | GB 1 519 294 A (UNILEVER LTD) 26 July 1978 (1978-07-26) * example 1 * | 1-9 | A23G |
| A | FR 2 745 153 A (RIVEIRE SILVENTE ET ASSOCIES R) 29 August 1997 (1997-08-29) * the whole document * | 1-9 | |
| A | US 4 145 454 A (DEA IAIN C M ET AL) 20 March 1979 (1979-03-20) | | |
| The present search report has been drawn up for all claims | | | |
| Place of search THE HAGUE | | Date of completion of the search 1 April 2003 | Examiner Boddaert, P |
| CATEGORY OF CITED DOCUMENTS X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date D : document cited in the application L : document cited for other reasons & : member of the same patent family, corresponding document | | | |

EPO FORM 1503 03/82 (P04C01)

**ANNEX TO THE EUROPEAN SEARCH REPORT
ON EUROPEAN PATENT APPLICATION NO.**

EP 02 25 8414

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report.
The members are as contained in the European Patent Office EDP file on
The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

01-04-2003

| Patent document cited in search report | Publication date | Patent family member(s) | Publication date |
|---|---------------------|----------------------------|---------------------|
| US 4244977 A | 13-01-1981 | US 4146652 A | 27-03-1979 |
| | | US 4154863 A | 15-05-1979 |
| | | US 4199604 A | 22-04-1980 |
| | | AU 3281278 A | 02-08-1979 |
| | | BE 863403 A1 | 27-07-1978 |
| | | CA 1107120 A1 | 18-08-1981 |
| | | DE 2803634 A1 | 03-08-1978 |
| | | DE 2857879 C2 | 08-01-1987 |
| | | DE 2858023 C2 | 08-09-1988 |
| | | DE 2858058 C2 | 24-01-1985 |
| | | DE 2858206 C2 | 21-04-1988 |
| | | DE 2858207 C2 | 08-10-1987 |
| | | DK 40078 A ,B, | 29-07-1978 |
| | | DK 504084 A ,B, | 22-10-1984 |
| | | ES 466336 A1 | 01-04-1979 |
| | | ES 475156 A1 | 01-06-1979 |
| | | FI 780232 A ,B, | 29-07-1978 |
| | | FI 831168 A ,B, | 06-04-1983 |
| | | FR 2378456 A1 | 25-08-1978 |
| | | GB 1548358 A | 11-07-1979 |
| | | IL 53713 A | 31-07-1981 |
| | | IT 1092000 B | 06-07-1985 |
| | | JP 1187324 C | 20-01-1984 |
| | | JP 53104767 A | 12-09-1978 |
| | | JP 58020250 B | 22-04-1983 |
| | | JP 1213082 C | 27-06-1984 |
| | | JP 58047143 B | 20-10-1983 |
| | | JP 58047450 A | 19-03-1983 |
| | | MX 6157 E | 29-11-1984 |
| | | NL 7801039 A ,B, | 01-08-1978 |
| | | NL 8303364 A ,B, | 01-02-1984 |
| | | NL 8303365 A | 01-02-1984 |
| | | NL 8303366 A ,B, | 01-02-1984 |
| | | NL 8303367 A ,B, | 01-02-1984 |
| | | NL 8303368 A ,B, | 01-02-1984 |
| | | NZ 186140 A | 17-08-1982 |
| | | NZ 197393 A | 17-08-1982 |
| | | SE 439577 B | 24-06-1985 |
| | | SE 7800962 A | 29-07-1978 |
| | | US 4244976 A | 13-01-1981 |
| | | US 4308287 A | 29-12-1981 |
| | | US 4234611 A | 18-11-1980 |
| | | US 4237146 A | 02-12-1980 |
| | | US 4350711 A | 21-09-1982 |
| | | US 4199605 A | 22-04-1980 |

EPO FORM P0459

For more details about this annex : see Official Journal of the European Patent Office, No. 12/82

**ANNEX TO THE EUROPEAN SEARCH REPORT
ON EUROPEAN PATENT APPLICATION NO.**

EP 02 25 8414

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report.
The members are as contained in the European Patent Office EDP file on
The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

01-04-2003

| Patent document cited in search report | | Publication date | | Patent family member(s) | Publication date |
|---|---|---------------------|------|----------------------------|---------------------|
| GB 2019187 | A | 31-10-1979 | AT | 375817 B | 10-09-1984 |
| | | | AT | 306879 A | 15-02-1984 |
| | | | AU | 532829 B2 | 13-10-1983 |
| | | | AU | 4640979 A | 01-11-1979 |
| | | | BE | 875826 A1 | 24-10-1979 |
| | | | CA | 1117355 A1 | 02-02-1982 |
| | | | CH | 652567 A5 | 29-11-1985 |
| | | | DE | 2916395 A1 | 31-10-1979 |
| | | | DK | 166879 A | 25-10-1979 |
| | | | ES | 479892 A1 | 16-08-1980 |
| | | | FR | 2423986 A1 | 23-11-1979 |
| | | | IE | 48114 B1 | 03-10-1984 |
| | | | IT | 1118967 B | 03-03-1986 |
| | | | LU | 81186 A1 | 07-11-1979 |
| | | | NL | 7903236 A | 26-10-1979 |
| | | | PT | 69543 A | 01-05-1979 |
| | | | SE | 7903559 A | 25-10-1979 |
| | | | US | 4219581 A | 26-08-1980 |
| | | | ZA | 7901935 A | 26-11-1980 |
| EP 0941668 | A | 15-09-1999 | JP | 10117763 A | 12-05-1998 |
| | | | JP | 3371063 B2 | 27-01-2003 |
| | | | JP | 10117693 A | 12-05-1998 |
| | | | JP | 3371064 B2 | 27-01-2003 |
| | | | JP | 10117694 A | 12-05-1998 |
| | | | EP | 0941668 A1 | 15-09-1999 |
| US 4346120 | A | 24-08-1982 | WO | 9816120 A1 | 23-04-1998 |
| | | | | | |
| | | | | | |
| US 4376791 | A | 24-08-1982 | US | 4400405 A | 23-08-1983 |
| | | | US | 4400406 A | 23-08-1983 |
| | | | US | 4427701 A | 24-01-1984 |
| US 4376791 | A | 15-03-1983 | CA | 1174894 A1 | 25-09-1984 |
| GB 1519294 | A | 26-07-1978 | NONE | | |
| FR 2745153 | A | 29-08-1997 | FR | 2745153 A1 | 29-08-1997 |
| | | | AT | 200609 T | 15-05-2001 |
| | | | AU | 1928897 A | 10-09-1997 |
| | | | CA | 2247097 A1 | 28-08-1997 |
| | | | CN | 1211900 A , B | 24-03-1999 |
| | | | DE | 69704610 D1 | 23-05-2001 |
| | | | DE | 69704610 T2 | 06-12-2001 |
| | | | DK | 878998 T3 | 13-08-2001 |
| | | | EP | 0878998 A1 | 25-11-1998 |
| | | | ES | 2159112 T3 | 16-09-2001 |

EPO FORM/10469

For more details about this annex : see Official Journal of the European Patent Office, No. 12/82

**ANNEX TO THE EUROPEAN SEARCH REPORT
ON EUROPEAN PATENT APPLICATION NO.**

EP 02 25 8414

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report.
The members are as contained in the European Patent Office EDP file on
The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

01-04-2003

| Patent document cited in search report | | Publication date | Patent family member(s) | Publication date |
|---|---|---------------------|----------------------------|---------------------|
| FR 2745153 | A | | WO 9730600 A1 | 28-08-1997 |
| | | | GR 3036236 T3 | 31-10-2001 |
| | | | JP 2000506004 T | 23-05-2000 |
| | | | NO 983895 A | 23-10-1998 |
| | | | PT 878998 T | 30-10-2001 |
| US 4145454 | A | 20-03-1979 | GB 1599272 A | 30-09-1981 |
| | | | AT 375530 B | 10-08-1984 |
| | | | AT 710077 A | 15-01-1984 |
| | | | AU 2935177 A | 12-04-1979 |
| | | | CA 1109319 A1 | 22-09-1981 |
| | | | CH 633943 A5 | 14-01-1983 |
| | | | DE 2744614 A1 | 13-04-1978 |
| | | | DK 441377 A | 07-04-1978 |
| | | | ES 462944 A1 | 16-12-1978 |
| | | | FR 2366799 A1 | 05-05-1978 |
| | | | IE 46049 B1 | 09-02-1983 |
| | | | IT 1091182 B | 26-06-1985 |
| | | | LU 78266 A1 | 09-06-1978 |
| | | | NL 7710960 A | 10-04-1978 |
| | | | PT 67121 A , B | 01-11-1977 |
| | | | SE 426774 B | 14-02-1983 |
| | | | SE 7711172 A | 07-04-1978 |
| | | | SE 426782 B | 14-02-1983 |
| | | | SE 426775 B | 14-02-1983 |
| | | | SE 426781 B | 14-02-1983 |
| | | | SE 426784 B | 14-02-1983 |
| | | | SE 426779 B | 14-02-1983 |
| | | | SE 426783 B | 14-02-1983 |
| | | | SE 426778 B | 14-02-1983 |
| | | | SE 426776 B | 14-02-1983 |
| | | | SE 8104686 A | 06-02-1983 |
| | | | SE 426777 B | 14-02-1983 |
| | | | BE 859322 A1 | 03-04-1978 |

EPO FORM P4489

For more details about this annex : see Official Journal of the European Patent Office, No. 12/82